



# PRODUCT CERTIFICATE

---

Certificate Number:  
6785-2015-CE-DEN-DNV, rev. 2  
ID no.: 451

Initial Certification Date:  
24 May 1978

Validity:  
02 July 2021 to termination

It is hereby certified that:

## **Daloc AB**

Box 43, 545 21 Töreboda, Sweden

with the following production site

## **Daloc AB**

Nolgårdsgatan 15, 545 31 Töreboda, Sweden

fulfils the requirements in:

## **DS/EN 13501-2:2016**

This certificate is valid for following scope:

**Fire classification of construction products and building elements – Part 2: Classification using data from fire resistance tests, excluding ventilation services**

For more details see appendix to certificate

The certificate is valid on the condition that the certificate holder complies with the current rules for certification and conformity with standards and the specific rules for certification of products, SBC 2100. The certificate is not transferable.

Place and date:  
Hellerup, 02 July 2021

For the issuing office:  
DNV - Business Assurance  
Tuborg Parkvej 8, 2., 2900 Hellerup, Denmark

**Jesper Schultz**  
Managing Director

## Appendix to Certificate

Fire Class	Product Type	Additional Parameters	Technical Report
EI <sub>2</sub> 30	Single leaf, side-hinged V43	Door leaf 47 mm 1080 x 2393 mm (width x height)	SP Report 3P03600-2, 2014-04-15
	Single leaf, side-hinged S30, S33, S43, S44, S63	Door leaf 58 mm 1368 x 2497 mm 1242 x 2752 mm (width x height)	SP Report PX28936-2Rrev 1, 2015-06-23
EI <sub>2</sub> 60	Single leaf, side-hinged S30, S33	Door leaf 58 mm 1190 x 2393 mm (width x height)	SP Report 5P06598-2, 2015-06-23
	Double leaf, side-hinged S30	Door leaf 58 mm 2390 x 2393 mm (width x height)	SP Report 5P06598-2, 2015-06-23

